	<b>(Material Safety Data Sheet)</b>	Doc.No.	MSDS-O-001
		Rev.No.	1
		Date	Apr.15.2005
<b>(Oxygen)</b>		Pages	3 / 6

**6.**

:  
가 . 가

**7.**

: U.S. OSHA  
29 CFR 1910.101.

**8.**


:  
, 가 (OXYGEN, COMPRESSED GAS):

:  
: 가  
: 가  
:  
: 가 가  
  
( ).  
( ).

**9.**

: 가  
:  
:  
:  
:  
: 31.9988  
: O2  
: -297 F (-183 C)  
: -360 F (-218 C)  
: 760 mmHg @ -183 C  
( =1): 1.1



 <b>AIR LIQUIDE</b>	<b>(Material Safety Data Sheet)</b>	Doc.No.	MSDS-O-001
		Rev.No.	1
		Date	Apr.15.2005
<b>(Oxygen)</b>		Pages	5/6

U.S. DOT 49 CFR 172.101. -UN ; ; ; :

ID : UN1072

U.S. DOT 49 CFR 172.101 : 2.2

U.S. DOT 49 CFR172.101 E : 가 ;

**15.**

, 가 (OXYGEN, COMPRESSED GAS)

:  
 - :  
 - :  
 - :  
 :  
 CERCLA 103 (40CFR302.4):  
 SARA 302 (40CFR355.30):  
 SARA 304 (40CFR355.40):  
 SARA , SARA 311/312 (40CFR370.21):  
 :  
 :  
 :  
 :  
 SARA 313 (40CFR372.65):  
 OSHA (29CFR1910.119):  
 :  
 65 ( ):  
 :  
 (EC) :  
 O  
 / :  
 O  
 (EC) :  
 R 8 가  
 S 2

 <b>AIR LIQUIDE</b>	<b>(Material Safety Data Sheet)</b>	Doc.No.	MSDS-O-001
		Rev.No.	1
		Date	Apr.15.2005
<b>(Oxygen)</b>		Pages	6 / 6

S 17 가

가

(TSCA):

TSCA 12(b)

**16.**

가

(Compatibility)

MSDS

(European Directives)

가

AIR LIQUIDE S.A.

MSDS ALK