 AIR LIQUIDE	(Material Safety Data Sheet)	Doc.No.	MSDS-N-002
		Rev.No.	0
		Date	Apr.15.2005
(Neon, Refrigerated)		Pages	2 / 5

: 가
 :
 : ,
 : 가
 :
 : 가 가 ,
 : 가
 :
 :
 (OSHA):
 (NTP):
 (IARC):

4.


: , . 가
 : , 가 (105-115 F; 41-46
 C) 가 ,
 :
 : , .
 :

5.

: 가
 : ,
 :
 : 가
 : 가
 : 0.8Km (1/2).

6.

:
 : 가

 AIR LIQUIDE	(Material Safety Data Sheet)	Doc.No.	MSDS-N-002
		Rev.No.	0
		Date	Apr.15.2005
(Neon, Refrigerated)		Pages	3 / 5

7.


: U.S. OSHA
29 CFR 1910.101.

8.

:
(NEON, REFRIGERATED):
ACGIH()
:
: 가 : 가 :
가 ()
: 가 : 가 : ,
:
: 가 가
()
().

9.

: 가
:
:
:
: 20.179
: Ne
: -411 F (-246 C)
: -416 F (-249 C)
: 760 mmHg @ -246 C
(=1): 0.6964
(=1): 1.204 @ -246 C

 AIR LIQUIDE	(Material Safety Data Sheet)	Doc.No.	MSDS-N-002
		Rev.No.	0
		Date	Apr.15.2005
(Neon, Refrigerated)		Pages	4 /5

:
 (pH):
 :
 / :
 가 :
 가 :

10.

:
 : 가
 :
 :

11.

(NEON, REFRIGERATED)

: :

12.

13.

14.


U.S. DOT 49 CFR 172.101:

: ,
 ID : UN1913
 : 2.2
 : 2.2

15.

(NEON, REFRIGERATED)

:
 - :
 - :

 AIR LIQUIDE	(Material Safety Data Sheet)	Doc.No.	MSDS-N-002
		Rev.No.	0
		Date	Apr.15.2005
(Neon, Refrigerated)		Pages	5 / 5

- :
 :
 CERCLA 103 (40CFR302.4):
 SARA 302 (40CFR355.30):
 SARA 304 (40CFR355.40):
 SARA , SARA 311/312 (40CFR370.21):

:
 :
 :
 :
 :
 :
 SARA 313 (40CFR372.65):
 OSHA (29CFR1910.119):

:
 65 ():
 :
 (EC) :
 가 :
 (TSCA):
 TSCA 12(b) :

16.

가
 가
 (Compatibility)
 MSDS (European Directives) , 가

AIR LIQUIDE S.A. MSDS ALK